#### TWO BID SYSTEM

TECHNICAL BID WILL BE OPENED ON : 06 MAR 2021 AT 1130HOURS
COMMERCIAL BID WILL BE OPENED ON : 08 MAR 2021 AT 1130 HOURS
PRICE NEGOTIATION WITH L-1 BIDDER ON : 10 MAR 2021 AT 1130HOURS

Tele: 0532-2420772

E-mail: armyschoolalld@gmail.com

Army Public School

New Cantt, Allahabad-211 001

5077./Pathway

13 Feb 2021

M/S	 

#### INVITATION OF TENDER

# CONSTRUCTION OF TEMPORARY PATHWAY SHED WITH M.S PIPE TRUSS & PROFILE SHEET ROOFING AT ARMY PUBLIC SCHOOL, NEW CANTT, ALLAHABAD

- You are invited by the Management of Army Public School, New Cantt, Allahabad to submit tender for the above mentioned work described in the accompanying documents.
- Your tender duly completed may be put in the tender box kept in school administrative block on or before 05 Mar 2021 between 10:00 to 13:00 hours together with all relevant documents sealed in an envelope duly quoted your rates.
- 3. The following documents are included with this tender invitation:-
  - (a) Part I General Information about the Tender.
  - (b) Part II Technical Bid.
  - (c) Part III Price Bid.
  - (d) Part IV Terms & Conditions.
  - (e) Part V- Specifications of Building Work.
  - (f) Part VI Drawings of the Library.
- The Management of Army Public school, Allahabad doesn't bind itself to accept the lowest or any tender and may cancel tendering process at any time.
- Wherever there is difference between specifications and drawings, specifications will supersede the drawings.

Signature of Contractor

Signature of Principal

Army Public School, New Cantt, Allahabad

## PART I - GENERAL INFORMATION ABOUT THE TENDER

SI.No.	Tender for the work of	Construction of 350 Mtrs long Temporary Shed along pathway with M.S pipe truss and profile sheet roofing at Army Public School, New Cantt , Allahabad,
1.	Earnest Money Deposited	Rs. 55,000/- (Rupees fifty five thousand only)
2.	Date of Issue of Tender	13 Feb 2021 to 05 Mar 2021
3.	Last Date of Receipt of Tender	<b>05 Mar 2021</b> by 1300 hours
4.	This Tender Contains	28 pages and Drawings including working design 02 Sheets
5.	Time allotted for work	Before 20 days from the date of issue of work order.
6.	Site of the Work	Army Public School, New Cantt, Allahabad.

Signature of Contractor

Public School

_		3
1.	Name of the firm	
2.	Address of the head/ registered / branch office	
3.	Phone no.	
4.	Fax no.	
5.	Mobile no.	
6.	PAN NO.	(Enclose Proof)
7.	GSTN NO.	(Enclose copy of Registration)
8.	Registered with govt, agencies	(Enclose Proof)
9.	Your bank account no.	
10.	Name & address of bank	
11.	Category of trade	
12.	Name of the partners / proprietor	
13.	Experience in years in the respective trade(attach work orders executed in past two years)	
14.	Single work order during the last two financial years	
15.	Payment details (earnest money)	Draft no

#### CERTIFICATE

In consideration of my being contractor, I hereby agree that I shall not withdraw, amend or attach any conditions to my tenders submitted to the school authorities before Oct 2020 from the date of issuing work order. Said tenders of acceptance, and I do so, the Principal Army Public School, New Cantt, Allahabad shall be entitled to forfeit our earnest money deposit along with the tender and remove us from the school work contract without prejudice to any other right or remedy by school for such breach on our part.

#### DECLARATION

Proprietor/ Partner/Manager) do here by declare that the entire declaration made in the application form is true to the best of my knowledge. [NOTE: - If there any changes in the construction of working of firm, the affecting accuracy of the answer now given, should be promptly communicated to The Principal, Army Public School New Cantt Allahabad.



Signature of Contractor With rubber stamp

# PART II - TECHNICAL SPECIFICATIONS CONSTRUCTION OF LIBRARY WITH PROFILE SHEET ROOFING AT ARMY PUBLICSCHOOL, NEW CANTT ALL AHARAD

SI. No	ITEMS OF WORKS
1.	Excavation of foundation trenches of required size and shape with all tools and plants for prope completion of work as per the drawing, details & specification.
2.	Providing & applying antitermite treatment in foundation trenches, Plinth, Apron etc. as per the drawing, details & specification by the Architect.
3.	Providing & Preparation of foundation bed of required size and shape in PCC 1:4:8 type D-2 (1) Cement: 4 course sand: 8 – 40 mm size stone Aggregate) as per the drawing, details & specification.
4.	Providing and cutting bending and placing fixing of all types of mild steel TMT reinforcement bars for foundation, columns, all types of beams, slabs, Chajjas etc. as per the drawing, details & specification.
5.	Providing and casting of 40 mm thick D.P.C. with recommended water proof chemical in PCC 1:2:4 type B-0 as per the drawing, details & specification.
<ol> <li>Providing, Preparation and casting of all type of R.C.C. work in M-25 concrete (desthe foundations, Beams, Columns, Slabs, Chajjas etc. with all tools and plant completion of work, as per the drawing, details, direction and specification.</li> <li>Provide and construct 230 mm thick wall with 1:6 cement &amp; sand mortar and 115mm wall with 1:4 cement &amp; sand mortar in first class locally available bricks, where required the drawing, details, direction and specification.</li> </ol>	
	Providing and fixing windows of sliding type made of Color Coated Galvanized Steel or color Coated Aluminum Windows with 8mm thick Square bar mild steel or aluminum grill. And 5mm thick clear transparent glass fixed and stainless steel fly/moscuito proof as per the drawing, details, direction and specification.
10.	Supply and fixing of 35 mm thick factory made standard quality (ISI) flush doors with complete ron fittings of ISI marked heavy quality.
<ol> <li>Providing, preparation and fixing all types of form work, shuttering, scaffolding, or required tools, plants and shuttering material for proper completion of work as per details, direction and specification.</li> </ol>	
13	Providing and plastering in CM 1:4 cement & sand mortar plaster work in interior and exterior wall surfaces, columns, beams and ceiling surfaces with all tools & plants for proper completion of work as per the drawing, details, direction and details specification.

Signature of Contractor

Vitrified Ceramic tiles 10 mm thick (square/ rectangular) polished, area of each tiles not 13. (a) exceeding 0.36 sqm, in floors & wall upto four feet height etc. set and jointed in floors etc. set and jointed in neat cement slurry and pointed in white or coloured cement to match. As per the drawing, details, direction and details specification.

Ceramic tiles Dado up to 1200 mm height, with cement mortar 1:4 (1 cement : 4 coarse sand), finished with a floating coat of neat cement. As per the drawing, details, direction and

details specification.

(a) Fabrication, Supply & Fixing truss work / M.S. pipe as per design, purlins, rafters and trusses 14. complete with priming, painting and fixing all complete.

(b) Supply and fixing of color coated Aluminum -Zinc Alloy coated steel ( Aluminum -around 55% & Zinc -43%) rib profile sheets of 0,50 mm thick (TCT) having effective width 1000 mm +/-10 mm, crest 25-32 mm and 200-250 mm pitch C/c with male female side laps and antisiphoning features at male end, minimum Yield strength 550 MPA and confirming standards AS 1397, ASTM A 792 in approved color and make including accessories such as Gutter Flashing. ridge pieces, barge boards, Crimped curves and with nylon coated self-tapping / self-drilling screws with EPDM washers etc., all works complete as per drawings, specifications and instructions of Engineer in charge . Rate includes cost of all materials against supply. Carriage Erection, Installation for roofing at all heights upto 13.00 m above from Ground level , labor, tools & plants and all other incidental charges etc complete. (Payment will be done on covered area basis) as per the design, drawing, direction and details specification.

15.

a. Fixing of Electrical Fans, Tube lights, or other Light fixtures of standard quality make- Havels, Orient, Bajaj as per approved by the Architect and as per the electrical design, details, direction and detailed specification.

b. Providing and fixing of electrical Concealed 25mmm dia P.V.C. conduits in slab. walls for electrical circuit wiring as per the electrical design, details, direction

and details specification.

c. Providing and fixing of modular switch board boxes of approved size, shape and make at required location with proper finishing as per the electrical design, details, direction and details specification.

d. Providing, fixing and laying of modular electrical switch and multistand cooper wiring of approved make-Havels, RR cable, or standard, design, colour and size as per electrical design, details, and directions and detail specification.

e. Providing laying, connection distribution board with outdoor main electrical supply as per electrical design, details, and directions and detail specification.

f. Providing 3 phase electrical connection from overhead main line.

a. Providing and painting of all exterior wall surfaces, ceiling and chajjas etc with super snowcem cement colour and all interior wall surface ceiling with all interior wall surface &ceiling with Oil bound distemper of approved colour, shade, and texture with all tools plants etc for proper completion of work as per details, design, pattern, directions and detail specification.

b. Providing and application of synthetic enamel paint of approved colour shade and make on M.S. angle door frame windows, grill flush door etc. as per details,

design, pattern, directions and detail specification.

c. Makes of OBD : Asian / Berger/ Nerolac.

d. Make of Snowcem: Asian / Berger/ Nerolac.

e. Make of Synthetic enamel paint : Asian / Berger/ Nerolac.

Signature of Contractor

16.

1 49	.6
17.	<ul> <li>a) Providing and fixing 100 mm dia P.V.C. rain water pipe at given position on as per details, directions and detail specification of make :Fenolex/ Prince/ Supreme.</li> </ul>
	b) Providing and fixing of concealed P.P.R. pipe of make: Fenolex/ Prince/ Supreme for water supply from overhead water tank to toilets, and up to drinking water out lets, of required size, shape and approved make, including supply of & fitting of all water supply accessories and fixtures, as per details, drawing, directions and detail specification.
	c) Providing and fixing of Fenolex or supreme or prince made 150 mm, 100 mm, 75 mm dia P.V.C. pipe Nahani Traps, Other under floor arrangements to fix water closet, wash basins, gents and ladies urinals etc. for proper sanitation from toilets and other water log area to inspection chamber located outside the building, including supply of fixing of all sanitary accessories. The laying of required sewer line work is also included in the work as per details, drawing, directions and detail specification.
	<ul> <li>d) Providing laying and connecting water tank with main water supply line inside the school campus.</li> </ul>
	<ul> <li>e) Providing laying, fixing and connecting 2Nos. 1000 liters Sintex make triple layer water tank over the terrace of toilet.</li> </ul>
	<ul> <li>f) Providing and constructing inspection chamber in required No. and size at recommended location as per details, drawing, directions and detail specification.</li> </ul>
	g) Providing laying, fixing and connecting 150 mm dia P.V.C. sewer line connection from outside located inspection chamber to septic tank and soak pit or existing sewer line within school premises.
18.	Supply of fixing two Green Boards due in Library of standard size (size to be approved by Principal APS New Cantt Allahabad at the time of execution of work).
19.	All construction work as per details, drawing, directions and detail specification.
20.	Providing and construction 750 mm wide Plinth Protection with PCC 1:3:6 type C-2 all around the building (Apron) of required size as per details direction and specification.
21.	(a) Providing and laying 3 meters wide interlocking tiles approach path at both end of

(b) The make design, color, shape, pattern of Interlocking tiles shall be approved by Architect or Engineer in charge and confirming I.S. Code.

Detailed list of make /brand of items to be used is attached to tender.

Signature of Contractor

# PART III -PRICE BID (TO BE ENCLOSED IN A SEPRATE ENVELOPE MARKED AS COMMERCIAL BID)

# CONSTRUCTION OF TEMPORARY SHED OVER PATHWAY WITH M.S. PIPE TRUSS & PROFILE SHEET ROOFING AT ARMY PUBLIC SCHOOL, NEW CANTT ALLAHABAD

SI. NO	DESCRIPTION OF ITEMS	UNIT	QTY.	RATE	AMOUNT
1	Construction of Shed over pathway with RCC Foundation, M.S Post, M.S Pipe Truss & Profile sheet roofing as per drawing design and specification including all necessary works as per requirement for proper completion of the work as per drawing	Rmtr	350		
GRA	ND TOTAL AMOUNT (Rs.)				
AMO	UNT IN WORDS				

#### Defect Liability Period:-

- 1. The defect liability period for the job is one year from date of completion of work. The Contractor shall be liable to repair any defect noticed during defect liability period without payment of any extra cost to school. The Contractor shall be responsible to attend the defect within 15 days from notice given in writing, failing which the defects will be rectified through another agency at the risk and cost of the Contractor and amount recovered from the Performance Guarantee.
- 5% of the total contract amount as Performance Guarantee will be kept reserve towards defects, if any observed, and will be released on successful completion of Defect Liability Period.

Signature of Contractor

You Canti

#### PART IV - TERMS AND CONDITIONS

## (GENERAL INFORMATION, INSTRUCTIONS AND CONDITIONS APPLIED)

- Last date and time for issue/depositing this Tender is 05 Mar 2021 by 1300 Hours. Tender Bids
  received after this date and time even by post/ courier will not be entertained.
- 2. Sealed Bids by authorized contractor should be dropped in the Tender Box. No. responsibility will be taken for postal delay or non-delivery/ non receipt of Bid documents. Bid sent by FAX or e-mail will not be considered. If the renderer withdraws the tender before the said period or issue of letter of acceptance whichever is earlier or makes modifications in the terms & Condition of the tender which are not acceptable to the competent authority then the competent authority will be at liberty to forfeit 50% of the said earnest money.
- Location of the Tender Box. Principal's Office Corridor.
- 4. Forwarding of Bids. Bids should be forwarded by contractors on the prescribed format attached with the tender separately as technical and price bids in separate envelopes. The technical bid should include the following details:-
  - (a) Technical Specifications.
  - (b) GSTN Number (photo copy to be attached)
  - Bank Account No (cancelled cheque to be enclosed).
  - (d) Bank Address
  - (e) Complete Postal Address of Office.
  - (f) Office Landline and Mobile Phone Nos.
  - (g) E-mail Address of office (Optional).
  - (h) EMD for Rs 55,000/- in the form of bank draft drawn favour of Army Public School, New Cantt, Allahabad
- Rejection of Bids. Canvassing by the Contractors in any form, Unsolicited letter and post tender correction
  may invoke summary rejection with forfeiture of Earnest Money Deposit(EMD) conditional tenders will be
  rejected.
- Validity of Bids. The Bids should remain valid for 90 days from the date of submission of bids.
- 7. <u>Earnest Money Deposit(EMD)</u>. The renderers' have to submit Rs 55,000/-(Rupees fifty five thousand only) in the form of Bank Draft In favour of "ARMY PUBLIC SCHOOL, NEW CANTT, ALLAHABAD" payable at Allahabad as EMD. The unsuccessful Contractors will be returned to them without any interest at the earliest.
- Architectural, structural drawings and consultancy charges will be deducted from the contractor's payment @ 4.5% of total cost of project. These charges will be deducted from each bill of the contractor.
- All the Tax will be deducted at the time of any payments as per defined/ eligible tax rate and authority will give proper documents of depositing the same amount to contractor/ suppliers.
- 10. The tenderers have to quote their rates both in figures and words. The rates quoted in the tender should be inclusive of all freight, taxes, service tax, GST and other incidental charges if any (i.e. F.O.R. School campus).

Signature of Contractor \*

- Every page of the tender should be signed (full signature) and rubber stamped by the tenderer. It should also be signed wherever there is overwriting and cutting.
- All works services will be according to specification as per tender paper or subject to approval by the Board of Officers.
- 14. The successful contractor is safely responsible for the materials and labour necessary for the completion of work.
- 15. The Contractor is responsible for periodic cleaning of the site during the construction process and removal of all construction material and debris at all time necessary, during and at the end of construction period.
- 16. The Contractor is responsible for ensuring all safety and security measure to be adhered to on site during the construction process including the safety of all students, staff and workmen along with the security of the site. Contractor will ensure that necessary screens are erected at work site to segregate the construction area from the school premises and ensure no access to students at the site of construction during the construction phase,
- 17. The Contractor is required to ensure that measures are put in place to militate against all potential social and environmental impacts that can arise as a result of the use of equipment and machinery associated with the construction of the project.
- 18. The Contractor shall be deemed to have examined all documents, conditions of contract and to have acquainted himself with the detailed descriptions of the work to be done and the way in which they are to be carried out.
- 19. The Contractor shall be deemed to have visited the site before preparing his tender and to have examined for himself the conditions under which the works will processed and all other matters affecting the carrying out the work and cost thereof.
- The Contractor will maintain records of minimum wages to their labour any dispute in this regards will be dealt with directly by him and not by the school.
- 21. The tender forms will be issued to the interested parties only after receipt of application for issue of tender from Contractor and after satisfying the credentials of the person/ party.
- 22. The Contractor, whose tender is accepted, will be required to furnish performance guarantee of 2.5% of the tendered amount and a sum @5% of the gross amount of the bill shall be deducted from final bill and will be kept for one year.
- 23. The construction work should be completed within 20 days from issue of work order.
- 24. Incase the work is not completed within the stipulated time frame, liquidated charges at the rate of 1% per week will be imposed on the Contractor subject to maximum of 10% of contract value. This amount will be adjusted from the bill of the Contractor.
- 25. The competent authority doesn't bind to accept the lowest or any other tender and reserves right to reject any or all the tenders received without the assignment of a person.
- 26. The Contractor shall submit minimum four progress report during the execution of work. This report shall be prepared in direct relation to the time stated in the contract documents for completion of items of work. A separate report will be given by the Contractor be made in writing by the Contractor.

Signature of Contractor

#### 27. Terms of Payments

- (a) 20% of total contract amount will be paid after completion of Plinth including all foundation work and earth filling of ground floor.
- (b) 15% of total contract amount will be paid after completion of work up to roof level including casting of columns, Brick work etc of Ground Floor.
- (c) 25% of total contract amount will be paid after completion of Sheet roofing work including fabrication of truss etc.
- (d) 20% of total contract amount will be paid after completion of flooring/tiling plastering, electrification, fitment of windows & doors, water supply etc.
- (e) 10% of total contract amount will be paid after completion of all works including lighting, finishing like painting, white washing etc.
- (f) 5% of total contract amount will be paid after checking and satisfactory report by BOO during taking over of building.
- (g) Balance 5% of total contract amount shall be paid after completion of defect liability period of contract i.e. One years after successful completion of the work and rectification of defects, if noticed during the defect liability period.
- Arbitration Clause. Decision of the Chairman, Army Public School, New Cantt, Allahabad will be binding to both parties(School and the contractor). Place and arbitration for any logal dispute will be Allahabad.

Signature of Gontractor

Alld

#### PART V - DETAILED SPECIFICATIONS OF WORK

#### 1. Earth Work

- (a) All layout work with proper bench marking of center line's of columns.
- (b) Excavation of earth for trenches to construct footing as per details and size and refilling of trenches with excavated earth.
- (c) Anti termite in foundation before preparation of foundation bed.
- (d) Earth filling of plinth floor area and deep watering, compaction, Leveling etc.

#### Anti-Termite Treatment

- (a) Providing and injecting chemical emulsion for constructional anti-termite treatment and creating a chemical barrier under and all-around the column pit, walls trenches, excavation top surface of plinth filling junction wall and floor along the external perimeter of binding expansion joints, surrounding of pipes and conduit etc.
- (b) Chloropyriphos solution shall be used in 1:19 mix proportion (1 Liter Chemical:19 Liter water) in foundation trenches, plinth floor area, apron all around the building etc. as per detail and direction.
- (c) 5 liters of chloropyriphos solution in per Sq.m. area of foundation and 7.5 liters of chloropyriphos per sq.m. of Plinth floor area shall be used.
- Foundation Base.150 mm thick foundation base in P.C.C. 1: 4: 8 type D-2 (1 cement: 4 course sand: 8 graded stone aggregate 40mm nominal size stone ballast) in trenches, well compacted.

#### 4. R.C.C. Work & Sheet Roofing

- (a) The foundation, columns, all level beams, chajjas, slabs etc. shall be of R.C.C. The design mix of concrete shall be M -25 (design mix) and as per the details and direction.
- (b) Material used in R.C.C. foundation, column, all level beams, Slabs, chajjas and other places shall be approved by the Architect or Engineer-in-Charge.
- (c) The mix proportion of cement, course sand, Aggregate for R.C.C. works shall be M -25 (design mix) and as per design details and direction.

Signature of Contractor

- (d) Mechanical mixture machine and vibrator shall be used for any type and quantity of R.C.C. work at any level.
- (e) The P.P.C. cement of approved make shall be used confirming all IS Code. Make of Cement : ACC/Prism Champion/Birla Perfect/Ultratech
- (f) Provide form work and plywood shuttering for R.C.C. columns, slabs and beams as per design, details and direction.
- (g) The T.M.T. mild steel bars shall be used in R.C.C. work confirming all I.S. Codes eg; Tata TMT, Kamdhenu, Rathi
- (h) Providing binding, bending, cutting, placing, lifting of all type of mild steel reinforcement for R.C.C. or other work.
- (j) Make and size of mild steel reinforcement used for R.C.C. or other work shall be approved by Architect or Engineer in charge, confirming all IS code.
- (k) Proper water curing of all R.C.C. work up to seven days from the date of casting regularly.
- (I) Quality of course sand and 20 mm size granite quartz aggregate shall be used as approved by Architect or Engineer In charge.
- (m) Fabrication, Supply & Fixing truss work / M.S pipe as per design, purlins, rafters and trusses will be ISI mark like Apollo, Jindal, Tata M.S.members with priming, painting and fixing all complete as per the design, drawing, direction and details specification.
- (n) Supply and fixing of color coated Aluminum –ZincAlloy coated steel (Aluminum –around 55% & Zinc -43%) rib profile sheets of 0.50 mm thick (TCT) having effective width 1000 mm +/-10 mm, crest 25-32 mm and 200-250 mm pitch C/c with male female side laps and anti-siphoning features at male end, minimum Yield strength 550 MPA and confirming standards AS 1397, ASTM A 792 in approved color and make including accessories such as Gutter Flashing, ridge pieces, barge boards, Crimped curves and with nylon coated self-tapping / self-drilling screws with EPDM washers etc., all works complete as per drawings, specifications and instructions of Engineer in charge. Rate includes cost of all materials against supply, Carriage Erection, Installation for roofing at all heights upto 13.00 m above from Ground level, labour, tools & plants and all other incidental charges etc complete. (Payment will be done on covered area basis) as per the design, drawing, direction and details specification.

Brick Work in Foundation, Plinth and Super Structure etc.

- (a) Provide and construct 230 mm thick brick wall in 1: 6 cement, medium sand, mix mortar with first class locally available bricks in foundation, plinth wall in super structure wall etc. as per details and direction.
- (b) Provide and construct 115mm thick (4.5") brick work in 1: 4 cement, medium sand mortar in super structure with 2 Nos. 6mm dia MS bars at every 8 coarse of brick work, as per details and direction.

Signature of Contractor

- (c) Provide and prepare all type of scaffolding work and other tools and plants for proper completion for brick work as per direction.
- (d) Proper water curing all type of brick masonry work up to seven days from the date of construction
- (e) The quality of all type of brick, cement, sand etc shall be confirming IS code and approved by the Architect or Engineer in charge.

#### 6. Plastering Work

- (a) 15 mm thick cement sand plastering work on walls ceiling, beams, columns etc inside and outside of the building as per direction.
- (b) Provide 10 mm wide grove in plaster at every joints of beam, and columns with brick work.
- (c) All the plaster edges shall be in plumb line and sharp.
- (c) Plastering on ceiling and external exposed surface shall be in 1:4 cement, medium sand mortar mix as per specified thickness.
- (d) Internal plastering shall be in 1:4 cement, medium sand mix mortar as per specified thickness.

#### Form Work, Shuttering, Centering, Scaffolding Work.

- (a) Provide, prepare all type of plywood/ steel form work for R.C.C. columns, footings, etc.
- (b) Provide & prepare all type of plywood shuttering and centering for R.C.C. beams at any level R.C.C. slab at any level as per design and details.
- (c) Provide and prepare all type of scaffolding for all type of work as per requirement and direction.

#### 8. Damp Proof Course

- (a) Provide and construct 40 mm thick D.P.C. on entire top surface of plinth beam and wall with recommended water proof chemical as per detail and direction.
- (b) The damp proof coarse shall be casted with P.C.C. 1:2:4 type B-O concrete mix using 12.5 mm size stone aggregate.
- (c) The water proof chemical used for D.P.C. shall be confirm IS code and the proportion or dosage of chemical as described by make or brand.

Signature of Contractor

(d) The make or brand of water proof chemical shall be as per direction of Architect or Engineer In charge. Make :Ace proof/ Ace/ Impermo

#### 9. Flooring and Skirting Work

- (a) 52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix: 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications and tiling on floor with vitrified tiles and four fit wall inside and verandah one side tiling upto four feet height. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete, as per the drawing, details, direction and details specification.
- (b) Cement plaster skirting up to 30 cm height, with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement, as per the drawing, details, direction and details specification.
- Doors & Windows. All Material used in work shall be of approved make, brand and confirming IS code like Jindal, Tata, Apollo
  - (a) Providing and fixing of all door-frame, windows frames, door shutter etc.
  - (b) All door frames shall be made of mild steel angle section 40 mm x 40 mm x 6 mm with grill on ventilators as per details and design.
  - (c) All windows shall be sliding type made of color Coated Aluminum Windows with aluminum grill and 5mm thick clear transparent glass and fixed with stainless steel fly/mosquito proof jall as per design details and direction.
  - (d) Provide and fixing 35 mm thick flush door with all GI fastener, fixtures and accessories of heavy quality approved make, size, shape, design, colour and confirming IS code like Green Ply, Century Plywood, Duro Ply

Signature of Contractor

 Painting Work. All Material use in painting work shall be of approved made, shade, colour, texture and confirming IS code like Burger, Asian, Nerolac

#### (a) In Internal Surface

- (i) Providing and painting one coat of white cement of J.K. white cement or Birla white cement on wall and Ceiling surface as a Primer coat use 3.84 kg white cement for per 10 Sq.m. of surface including supply all tools plants etc for proper completion of work.
- (ii) Providing and applying Birla white or J.K. white wall care make putty on wall and Ceiling surface in two coats including rubbing and smoothing the surface properly to make in uniform and even including supply of all tools and plants for proper completion of work.
- (iii) Providing and painting one coat of primer over the putty finished surface.
- (iv) Providing and painting in two coats oil bound distemper over the wall and ceiling surface, of approved brand, colour, shade confirming IS code, as per detail and direction of Architect or Engineer Incharge.

#### (c) In External Surface

- (i) Providing and painting one coat of white cement of J.K. white cement or Birla white cement as a Primer coat use 3.84 kg white cement for per 10 Sq.m. of surface including supply all tools plants etc for proper completion of work.
- (ii) Providing and painting water proof super snowcem made cement base paint in 2 coats over the one coat of primer coated wall plastered surface of approved colour, shade, confirming IS code as per detail and direction.
- (iii) Provide and painting with two coat synthetic enamel paint over one coat red oxide primer on mild steel door frame "Z-Section window all grill and railing etc. of approved make and colouretc, as per direction.
- (iv) Providing and painting Asian Paint or Nerolac Made enamel paint of approved colour and shad in two coats on mild steel door frame Z section window grill and railing etc. as per details and design.
- (v) Providing and painting Asian Paint or Nerolac made wood primer and enamel paint in two coats of approved colour, shade as per details and direction.

Signature of Contractor

#### Electrical Work

- (a) All material used for electrical work shall confirming the IS code. as per details, drawing and directions
- (b) Providing, laying and fixing of Electrical fan boxes and P.V.C. 25mm dia. Electrical Concealed conduits in slab and walls of approved made as per the electrical design details and direction and confirming IS code.
- (c) Providing and fixing of electrical 25mm dia. P.V.C. conduits in wall for concealed electrical circuit wiring as per the details and direction. The P.V.C. pipe shall be of approved make and confirming IS code.
- (d) Providing and laying copper wiring in electrical circuit of approved make and size confirming IS code :-
  - (i) All light and fan circuit wiring shall be with 1.5 Sq.mm, copper wire and 1.5 Sq.mm, copper earth wire. The wire shall be of approved make and confirming IS code. Six ceiling fan and LED tube lights will be fitted in each Library.
  - (ii) All power point circuit wiring shall be with 2.5 Sq.mm. copper wire and 1.5 sq.mm. copper earth wire. The wire shall be of approved make and confirming IS code.
  - (iii) Providing and fixing 5AMP, 15 AMP electrical switches and socket in circuits of approved make design, shape, colour and confirming I.S. code.
  - (iv) The location and numbers of switches boards, power points, LED tube lights points, fan points etc shall be as per details drawing and direction.
- (e) Providing, fixing and making distribution board for electrical supply to all circuits with using M.C.B. & E.C.B. etc. of approved make confirming IS code.
- Providing laying, electrical connection to distribution board with outdoor main electrical supply.

Signature of Contractor

#### 13. Water Supply Work

- (a) Providing laying and fixing of concealed Prince or supreme made P.P.R. pipe for water supply from overhead water tank to all outlets at water closets, urinals, wash basin taps, etc and up to drinking water outlets, as per design and details direction where applicable. The material used shall confirming I.S. code.
- (b) Providing laying, fixing and connecting 2 Nos. (i.e 1 No for ground floor and 1 No for first floor tollet block) 1000 liters Sintex or Polytuff make triple layer P.V.C. water tank over the terrace of tollet. as per details, drawing and directions where applicable.
- (c) Providing laying and connecting water tank with main water supply line inside the school campus.
- (d) Providing and fixing Hind ware or Parry ware make, of approved colour design, water closet, wash basin as per details and direction. The material used shall be confirming I.S. Code as per details, drawing and directions as applicable.
- (e) Providing and constructing inspection chamber in required No & size at recommended location as per details, drawing and directions as applicable.
- (f) Providing laying, fixing and connecting 150 mm dia P.V.C. sewer line connection from outside located inspection chamber to septic tank and soak pit or existing sewer line.
- (g) Providing and construction of inspection chamber of required size and shape as per the design and detail inside and outside the building for proper sanitation where applicable..
- (j) Providing and fixing of supreme or prince make 150mm, 100mm, 75mm, dia. P.V.C. pipe, Nahani traps, other under floor arrangements to fix water closet, wash basins etc. for proper sanitation, from toilets and other water log area to inspection chamber located outside the building, as per the detail design and direction where applicable.
- (k) Providing and fixing of 100mm Dia. P.V.C. rain water pipe at required position as per details and direction.

Signature of Contractor

Data......

14. Plinth Protection. Provide and construct 750 mm wide and 75 mm thick P.C.C. 1:2:4 type B -2 Bed as plinth protection over the 100 mm thick P.C.C. 1:4:8 type D -2 (1 Cement :4 Course Sand : 8 – 40 mm stone ballast) bed, as per details and direction all around the building.

#### 15. Approach Path

- (a) Providing and laying 3 meters wide with 60 mm thick M-35 grade interlocking tiles approach path over 100 mm thick PCC 1:4:8 type D -2 base at both end of building connected to inside campus road where required.
- (b) The make design, colour, shape, pattern of Interlocking tiles shall be approved by Architect or Engineer in charge and confirming I.S. Code.
- Drawing and Design Charges. Architectural, structural drawings and consultancy charges will be deducted from the contractor's payment @ 4.5% of total cost of project.
- 17. <u>Testing Charges</u>. All testing charges for brick, cement, material, design mix, soil testing etc shall be paid by the Contractor without any extra cost to school.
- Work will be allotted on lump sum total project cost.
- Jurisdiction in case of Dispute. Any matter related to this work will not be referred to any court by the both party. In case of any dispute between school and the contractor, decision of the Chairman, APS, New Cantt, Allahabad will be binding to both parties. Jurisdiction of any complaint /less dispute will be Allahabad (Prayagraj).

Signature of Contractor

Public School

#### Annexure I

### (Refer para 21 @ of Part II -Tech Specifications)

### MAKES OF PRODUCTS TO BE INCORPORATED IN WORKS (B&R)


Ser No	Name of item	Makes/Brand/N	Manufacturers
1,	CP Bib Taps stop valves & Pillar Taps, surgical basin mixer, shower rose etc	(a) Jaquar& Co Pvt Ltd (c) Marc	(b) Zolotov (d) Blue star Silver shine
2.	Taps & stop cocks (brass)	(a) M/s Prakash& Co Maypuri, Delhi (c) Marc	(b) Zolotov (d) Jaquar& Co Pvt Ltd
3.	Aluminum anodized fittings (iron mongrey)	(a) M/S Elite Enterprise, Mumbai (c) Mepro (e) Classic, New Delhi	(b) M/S AluminiumUdhyog (d) Crown by Mohan Metal Ind. Shahadra
4.	Sanitary ware (Basin/WC)	(a) Neycerkermag (standard) (c) Parryware (super fine) (e) Jaqur& Co Pvt Ltd	(b) Hindustan santitary Ware (Hindware) (1 <sup>st</sup> quality) (d) Cera (1 <sup>st</sup> quality) (f) Johnson Padder
5.	Seat cover for EWE	(a) Commander- Champion (c) Hindware	(b) Paryware (d) Blue star Silver shine
6.	PVC Flushing Cistern IS: 774- 1984	(a) Commander champion (c) Hindware (e) Cera	(b) Parrywareslimline (d) Blue star Silver shine (f) Hindustan
7.	Mosaic/ PCC Plain / chequered tiles / inter locking paver blocks	(a) M/S Mehatab Tiles, 8 Rani Shopping Centre, Bhanwar, Indore (b) Redsum tiles &Pravers, Panchkhula	(b) NITCO, Mumbai (c) Star tiles & Industries, Rama Devi, Kanpur (e) Mayur tiles & Interlocking paves, Lucknow
8.	PVC tiles / wooden Flooring	(a) Premier viny flooring Ltd, New delhi (c) Armstrong	(b) Marblex (d) Royal Clushionviny Products Ltd, delhi
9.	Acid resistant tile (IS: 4457)	(a) Endura by M/S H R Johson (C) M/s LasharIndusties, Ishwar Nagar, Delhi	(b) Regency (d)M/s Burn standard Co Ltd, Po box No-13 Jabalpur

Signature of Contractor

10.	Vitrified tiles	(c) Asian (d)	Johnson (Marbonite) Oracle Granito (Marbito) Somany
11.	Ceramic Tiles / Non skid ceramic tiles	(a) Kajaria (c) Johnson (e) NITCO (g) Crystal Ceramic Industries	(b) Regency (d) Somany (f) City tiles
12.	Tiles Adhesive tiles Grout	(a) M/s BalEndura, Bangalore (c) Fevimate	(b) Laticrete Hyderabad (d) fairmate
13	Plywood for general purpose (ISI 303 Marked)	(a) sudarshan plywood, industries. 119-park street culcutta (b) Kitply	(c) Mysore Chip board (d) Shiv Hari plywood (e)Century plywood (f) Swatick plywood (g) green ply (h) Marina
14.	Plain Particle board / Particle board ceiling tiles / Prelaminated particle board	(a)kit ply (b) Bhuttan board (c) Nepal Board	(d). Archidlam (e.)Nova pan (f). Ecoboard
15.	White cement & wall care putty	(a) JK White (b) Birla white	
16.	Plain / Pin headed / frosted sheet glass	(a) Hindustan pilkingtaon glass (b) Saint Gobbain	(c) Modi Guard (d) Asahi
17.	Looking Mirror	(a) Saint Gobain (b) Modi Guard	(c) Atul (d) Asahi
18.	Laminated sheets	(a) Green lam (b) Formica/ Sunmica (c) Decolam from	(d) Century a (e) Associate Décor Ltd
19.	Corrugated, semi corrugated & plain AC sheet	(a) M/S Ramco AC Sheets, SWASTIK (b) M/S Esternit Everest Ltd	(c) UP Asbestos( UPAL) (d) Chaminar (e) Visaka (f) RBL
20.	Gypboard false ceiling	(a) Indian Gypsum (b) Everest IndustriesLtd( E- Board)	120 to 100 100



21.		(a) Gold mohar (b) Shalimar hardware (c) Berger (d) J & N (e) Rajdoot	
22.	Chemical for antitermaitetreater (chloropyrifos 20% Lindain 20%)		(e) M/S Kanoria chemicals & Industries limited (KANODANE- 20EC) (f) M/s Singhal Pesticides, Agra
23.	Synthetic enamel	paint (a) ICI paint(Dulux gloss) (b) Asian paint(Apocolite) (c Shailimar Paints (Superlac Hi gloss) (d) GoodlassNerolac paints Ltd (Nerolac)	(e) Jenson & Nicholson paints Itd(Brolac) (f) berger paints (Luxol Hi Gloss) (g) Nerolac (Nerolac full gloss)
24.	Plastic emulsion p	(a) GoodlassNerolace (All Escapes) (b) Shalimar Paints(Hussian collection) (c) Jenson & Nicholson(special effect)	(d) Asian paint(Royal) (e) ) berger paints(Luxol silk splender) (f) ICI paint(Dulux Velvet touch)
25.	Intergral water pro compound (powde	The state of the s	(d) FOSROC INDIA (e) CICIO (f) PIDILITE
26	. Rigid PVC pa	(a) Rajshreeplastiwoo (b) Sintex (e) Kumar Arch Tech L	Polyline
27		aining (b) Nirali	vt Ltd (c) Jain Brothers Sanitation Pvt Ltd (d) Blue star Silver Shine



			22		
	28.	Integral WP compound (Liquid)	(a) CICO No.1 (b) Masterproof IWPI choksey chemicals (c) FOSROC INDIA	(e) MC (f) PIDI	ro-1-Accro paints Bauchemie ELITE Industries INDIA Ltd
	29.	Acrylic washable distemper / oil emulsion distemper	GoodlassNerolac distemper) (Super-Acrylic) (e) Berger (b) Shalimar Paints( Super)		erger paints(Bison paint (Maxilite Acrylic
	30.	Cement based paints	(a) Super snowcem (d) Gutucem by Asaian pa (b) Duracem (e) Accrocem (c) Cemplus by TATA pigments		
	31.	External Weather proof paint	(b) Asian paint(APEX) (d		(c) Shalimar Paints ( XTRA (d) Nerolac paints (AXCEL)
	32.	Construction Chemicals	(a) Chokesy chemica (b) farirmate (c) Pidilite (d) fosroc	ls	(e) MC Bauchemie (f) Roof Chemicals (g) BalEndura
	33	Factory made Shutters paneled / Skelton shutters (Fly proof / Glazed)	(a) M/s Goel Brothers, Raipur (c) M/s Northen Doors Pvt Ltd, Kanpur (e) M/s Choiti Industries, Kanpur		(b) M/s Joinery Manufacturing Co, Calcutta (d) M P Wood Product (f) M/s Oriental door,
	34.	Flush ISI Marked	(a) Commander –Ajay plywood (b)M/S Century plywood (c) M/s Mysore chip board Archid		(d) M/s Northen doors Pvt Ltd Kanpur (e) M/S Shiv Hari plywood (Corbett) (f) M P Wood Product

Signature of Contractor

New Canth

	·	23	
35.	Bituminous product	(a) M/s Faridabad spinning & woolen mills Pvt ltd, 837, SP Mukherjee Marg Delhi (b) M/S STP Limited	(c) M/S MK PetroproductFaizabad . (d) Bengal bitumen, saritavihar New Delhi. (e) Shivam tar products, Mathura-
36.	Steel windows ventilator (as per IS-1038 of 1983) & pressed steel door / window frames, steel lockers & cupboard frame/shutters	(a) M/s Ishwar Industries, 175/a, Bombay Bazar, Meerut cantt (b) Aswini& Sons,E-15 Patel Nagar II, Ghaziabad (c) M/S Sen-Harvic, vora building, 1 <sup>st</sup> floor, 50 Nakhoda street Bombay (d) Agra timber & steel products, Agra (e) Gupta & Jain	(f) M/S Multiwyn IndustriesCorph Calculta, (g) M/S G S Udyog, G-11, Site III, Panki UPSIDC Industrial Area, Kanpur (h) Chandni Industries Ghaziabad. (j) Poonam Enterprises, 10, Industrial Estats, Talkatora, Lucknow (k) M/S AGEW steel Manufactures, (PVT)Ahmadabad
37.	Aluminum section for door / window	(a) Hindalco (b) Indal	(c) Ajit India (d) Jindal (e) KVSM
38.	Polymeric membrane for water proofing treatment to roof / sunken floor	(a) Hyperplas standard polym manufactured by IWL India Ltd (b) STP Ltd – Super Thermo Ia (c) Asian Paints – Smart Care (d) Bengal Supermat- Bengal Delhi (e) Shivam tar	d. ∋y
39.	HDPE (Polyethene) water storage Tanks (Rotational moulded) Three layered, ISI Marked double layer	The second secon	Polyplast
40.	PVC pipe SWR pipes (IS-13592 for pipes & IS-14735 for fitting)	(a) Finolex (b) Supre	me (c) Prince
41.	Stop valves / Gate Valves / Float valve	(a) Leader, Bombay meta (b) Bir Jalandhar (c) Bombay Metal & Alloy (d) Zoloto (e) Vardhman (f) NMC	EV.

Signature of Contractor



42.	Glass Mosaic Tiles	(a) Italia (b) Bisazza (c) Accura	
43.	CI (Centrifugally cast) pipes as per IS-3989 for sewage disposal & Rainwater pipes	(a) JayaswalNeco. (b) Kapilansh (M/s KapilanshDhatuUdyog (P) Ltd. Nagpur) (c) HEPCO by M/s BinayUdyogPvt Ltd, Kolkata (d) BIC Kolkata	
44.	Sewer bricks	<ul> <li>(a) M/s Priya Clay Products Pvt Ltd, New Delhi</li> <li>(b) M/s Ritu Bricks Lvt Ltd, Bhilwara Rajasthan</li> <li>(c) M/s Maruthi Brick Works, Bangalore</li> <li>(d) M/s Priya Bricks Pvt Ltd, Kolkata</li> <li>(e) M/s Red Ceramics Limited, Kolkata</li> <li>(f) M/s Modern Bricks &amp; Engg Works, Bassi, Patiala</li> <li>(g) M/s Prayag Bricks, Varanasi</li> </ul>	
45.	SGSW pipe	(a) Perfect Jabalpur (b) DevrajAnand Ghaziabad (c) Gupta Refractories Gwalior	
46.	Porcelin tiles	(a) Century (b) Johnson (c) City Tiles	
47.	PTMT fittings/connection pipe	(i) Prayag or its equivalent	
48.	Color Coated Roof Sheets	(a) Ispat Industries Ltd  (b) Durashine/Lysaght by TATA Blue Scope Steel Ltd  (c) CrilColour Roof India Ltd  (d) Matco Roof Pvt Ltd  (e) Colouron Plus by JSW Steel Ltd.	
49.	GI Pipe ISI Marked 1239	(a) JINDAL (b) TATA (c) PRAKASH (d) Zenith (e) SWASTIK	

50. LIST OF SECONDARY PRODUCERS FOR SUPPLY OF STRUCTURAL STEEL

(a) M/s Kashi Vishwanath Steel Ltd Narain Nagar, Bazpur Road Kashipur Distt – US Nagar Tele : 05947-262138, 262109 Fax: 05947-262103	Industyries Ltd. White Towers, 115 College Street 1st Floor KOLKATA-12	Ispat Ltd Plot No 6, Phase-11 Industrial area, Kala Amb Distt – Simnour (HP)	TahKhed, Pune
---	---	---	---------------



(e) M/s KL Steel Pvt Ltd Post Box No 61, LalKuanBulandshahar Road, GHAZIABAD (UP)

Tele : 0120-2867911, 2867915

FAX: 0120-2867917

(f) M/s SRMB Udyog Ltd 46,88 Ganguly Street,

Kolkata – 700 012 Works: 1, Oil Installation Road, Paharpur,

Kolkata-700 008 Tele : 24391161 FAX : 033-2236666 (g) M/s Shree Parashnath Re-Rolling Mills Ltd 14C MaharshiDovendre Road 3<sup>rd</sup> Finer

Road 3<sup>rd</sup> Floor, Kolkata-700007 Adm Office

3511 Part Dr BC Roy Avenue

Durgapur-713201 Tele :

Tele : 033-22740045/4475 FAX : 033-22740039 M/s KL ConcastPvt Ltd Z-18, Naraina. New Delhi

Work Office

25<sup>III</sup> Mile Stone Bulandshahar Road GHAZIABAD (UP)

MAKES OF PRODUCTS TO BE INCORPORATED IN THE WORKS (E/M ITEMS)

1	Rigid steel Conduits New India Conduits Pvt Ltd, Faridabad BEC AKG Steel Kraft	08	Rigid PVC conduits (a) Indo-American Ltd (b) BEC (c) ICL (d) Finolex (e) EssEss Kay Engineering
2.	MCCB/ELCB/RCCB/Distribution Board (a) Schneider (g) INDOASIAN (b) Legrand (h) Havells (c) GE (Power) (d) ABB (e) L&T (f) C&S	09	Switch Fuse/Main Switch  (a) Crompton Greaves (b) L&T (c) Legerand (d) Havells (e) Controls & Switchgear (f) GE (Power)
3.	Street light fittings (a) Philips (e) CG (b) Wipro (f) GE (c) Bajaj (d) C&S	10	Time Switches (a) HAGER (Marketed by L&T) (b) Legrand (c) Schneider
4	Lamp Holder  (a) Esskay  (b) Anchor  (c) Plaza	11	HPSV/HPMV Fittings & Lamps  (a) PHILIPS (b) WIPRO (c) BAJAJ (d) WIPRO (e) C &S
5	Copper wire for internal wiring  (a) NICCO (b) Grandlay (c) FINOLEX (d) Universal (e) Havells (f) Kalinga Premium (g) LAPP	12	LT Cable (a) Universal (b) Finolex (c) RPG (Asian) (d) Nicco (e) LAPP (f) Havells (g) ELEKTRON (h) Kalinga Premium

Signature of Contractor


New Cents All

	7	.6	
6	(a) Skytone (b) Rallison (c) Deltone (d) Finolex (e) Kalinga Premium	13	Measuring Instruments/ Relays/CTS (a) Havells (b) Crompton Greaves (c) Schneider (d) AE (e) Easun (f) IMP (g) L&T (h) Jyoti
07	GI Pipes (a) JINDAL (b) TATA (c) PRAKASH Surya	14	Modular switches/sockets/Bell Bush/Fan regulator/Ceiling Rose (a) MDS (b) Legrand (c) Havells Crabtree (d) Anchor Roma (e) MK (Honey Well)
	Electric switches/sockets/Bell Bush/Fan regulator/Ceiling Rose (a) Cona (b) Legrand (c) SSK (d) Havells (e) Plaza (f) Anchor (g) C&S Gewiss	22	HT XLPE Cable  (a) Universal (b) RPG Asian (c) Havell (d) Nicco (e) Torrent (f) Kalinga Premium
16	Domestic light fittings/ wall brackets  (a) JEMCO (b) VIKAS (c) PRAKASH (d) BAJAJ (e) CROMPTON GREAVES (f) SPARKO (g) Decon (h) AMC	23	Ceiling/Exhaust/Cabin Fans  (a) Khaitan (b) Orient (c) Usha (d) Polar (e) Crompton Greaves (f) Almonard (g) Havells (h) Bajaj
17	CFL fittings & Lamps  (a) Bajaj  (b) GE Lighting  (c) Philips  (d) Finolex  (e) Wipro  (f) C & S	24	Tube light fittings  (a) Philips  (b) Bajaj  (c) Wipro  (d) C & S
18	Air Circulator (a) Almonard (b) Havells (c) Usha (d) Crompton Greaves	25	Flameproof fittings (a) Sudhir (b) Flexpro (c) Shyaam (d) Baliga



19	Geysers (a) BAJAJ (b) Venus (c) Usha Lexus (d) Racold (e) Havells (f) Crompton	26	Energy Meter (a) Havell's (b) Enercon (c) Secure (d) HPL India Ltd (e) Indo Asian Fusegear Limited
20	Ammeter, Voltmeter, P/F Meter & Frequency Meter  (a) AE (b) IMP (c) MECO (d) HAVELL's (e) Enercon (f) Secure (g) HPL India Ltd	27	HT/LT Insulators  (a) Modern Insulators (b) Jayshree Insulators (c) Jaipuria Brothers (d) NGEF (e) Southern Insulators (f) Bengal Potteries Ltd (g) BHEL
21	Aluminium Conductors  (a) Alind  (b) VK Conductors  (c) Bharat Conductors  (d) Indian Aluminium Co.  (e) Kuber  (f) Krishna-MPCAB	28	GOD/DO Switch (Air break)  (a) Pactil  (b) Jaipuria Brothers  (c) Rashtriya  (d) MEI  (e) Haryana Elect Ind (HEI)  (f) Atlas
29	Lightning Arrestors (a) Schneider (b) WC (c) Alpro International (d) Southern insulators	34	VCB/ACB/RMU (a) HT VCB 11KV/RMU/ BUS COUPLAR (i) Schneider (ii) ABB (iii) Siemens
30	(a) Cabseal (b) Birla 3M (c) M-Seal (d) Reychem	35	(b) LT ACB  (i) Schneider  (ii) Crompton Greaves  (iii) ABB  (iv) Controls & Switch gear  (v) L&T
31	Servo Voltage Stabliser  (a) Vinitec  (b) Brentford  (c) Automatic Electric	36	(c) HT OCBs  (i) Crompton Greaves  (ii) Southern Switch Gear  (iii) Areva T & D India Ltd  (iv) Easun  (v) MEI


Signature of Contractor



32	PCC Poles  (a) M/s Concrete Udyog, Jhansi (b) M/s Mohan Concrete Udyog Lucknow (c) M/s Shree Ambay Concrete Fabs, Lucknow (d) M/s Hindustan Pre-stressed concrete Structure Faridabad	37	Current & Potential Transformers  (a) Pragati (b) Crompton Greaves (c) Prayag (d) Elect Contro & System (e) AE
33	Steel Tubular poles  (a) National tubing Co. Kanpur  (b) BCW Kanpur  (c) All India Small Scale tubular pole manufacturers association, Kanpur  (d) United Engineers, Kanpur  (e) M/s SohanLal & Sons	38	Change Over Switch  (a) Hovels (b) HPL India (c) Controls & Switchgears (d) CROMPTON GREAVES (e) Zeta Switchgear

Signature of Contractor





## TYPICAL SECTION



PROPOSED TEMPORARY SHED ALONG PATHWAY AT ARMY PUBLIC SCHOOL, NEW CANTT, ALLAHABAD

aakaar

ARCHITECTS & INT. DESIGNER 320/16/4/01 Sachche Wher Colony, Auckland Roed, (Near Behagung Mitt), 4110-201001 PH, -0532



Principal Army Public School New Cantt, Allahabad



#### INVITATION OF TENDER

# CONSTRUCTION OF TEMPORARY PATHWAY SHED WITH M.S PIPE TRUSS & PROFILE SHEET ROOFING AT ARMY PUBLIC SCHOOL, NEW CANTT, ALLAHABAD

- Cost of tender is Rs 500/- (Rupees five hundred only) non refundable.
- 2. Draft to be made in favour of 'Army Public School New Cantt, Allahabad'.