

Tele : 0532-2420772

Army Public School
New Cantt, Prayagraj
PIN-211001

5077/AS dt 28 Jul 2026

**CALL FOR QUOTATION
PURCHASE OF XEROX MACHINE FOR PRE-PRY WING
APS, NEW CANTT, PRAYAGRAJ**

Sir,

1. APS New Cantt, Prayagraj intends to purchase Xerox Machine for Pre-Pry Wing, as per details given below and specifications is placed opp :-

S.No	Details	A/U	Qty	Rate (Rs)	Amt (Rs)
1.1.	Canon IR 2224 230V	Nos	01		
1.2.	Canon Platen Cover Type X	Nos	01		
1.3.	Canon NPG-59 Toner BK OTH	Nos	01		
	Total incl GST				

2. You are requested to forward your quotations in sealed envelope by 05 Aug 2026 by 1100hrs.


Presiding Officer

Main Unit

Machine Type	A3 Monochrome Laser Multifunctional
Core Functions	iR2224N: Print, Copy, Scan, and Send iR2224: Print, Copy, and Scan
Control Panel	88.9-mm monochrome touch panel
Memory	1.0 GB RAM
Storage	eMMC: 2 GB
Interface Connection	NETWORK*1 Standard: 100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n) OTHERS Standard: USB 2.0 (Device) x1
Paper Supply Capacity (A4, 80 g/m2 (gsm))	Standard: 350 sheets (Paper Drawer: 250 sheets, MPT Tray: 100 sheets) Maximum: 600 sheets (with Cassette Feeding Module-AK1)
Paper Output Capacity (A4, 80 g/m2 (gsm))	Standard: 250 sheets Maximum: 250 sheets
Supported Media Types	Multi-purpose Tray: Thin, Plain, Recycled, Thick, Colour, Bond, Label, Pre-punched, Envelope Paper Cassette: Plain, Recycled, Colour, Pre-punched

Supported Media Sizes	Multi-purpose tray: A3, A4, A4R, A5, A5R, B4, B5, B5R, Envelope (COM10, Monarch, DL, ISO-C5), Custom size min. 95.0 x 148.0 mm up to 297.0 x 431.0 mm Paper Cassette: Standard size: A3, A4, A4R, A5R, B4, B5, B5R
Supported Media Weights	Multi-purpose tray: 60 to 157 g/m² (gsm) Paper cassettes: 64 to 90 g/m² (gsm) Duplex: 60 to 90 g/m² (gsm)
Warm-up Time	From Power On: 13 seconds or less^{*2 *3} From Sleep Mode: 4.3 seconds or less
Dimensions (W x D x H)	iR2224N (with DADF): 627 x 607 x 606 mm iR2224/2224N (with Platen cover): 627 x 589 x 502 mm iR2224N (with DADF and cassette): 627 x 607 x 698 mm iR2224N (with Platen cover and cassette): 627 x 589 x 594 mm
Installation Space (W x D)	1065 x 1285 mm
Weight	iR2224N: Approx. 30.3 kg without toner and Platen cover iR2224: Approx. 31.6 kg without toner and including Platen cover

Print

Print Speed (BW)	1-sided: Up to 24 pages/min (A4), Up to 12 pages/min (A3), Up to 11 pages/min (A4R) 2-sided: Up to 16.7 pages/min (A4), Up to 7.5 pages/min (A3), Up to 7.8 pages/min (A4R)
Print Resolution (dpi)	600 × 600
Page Description Languages	Standard: UFR II Optional (iR2224N only): PCL6 (Optional)/PCL5 (Optional)
Printing From Mobile and Cloud Application	Apple AirPrint, Canon PRINT Business, Mopria, Canon Print Service
Fonts	PCL (Optional) fonts: 45 Roman, 10 Bitmap fonts
Operating System	UFR II: Windows® 8.1 / Windows® 10 / Windows® 11 / Windows® Server 2012 / Windows® Server 2012 R2 / Windows® Server 2016 / Windows® Server 2019 / Windows® Server 2022/ macOS (10.12 or later) PCL (Optional): Windows® 8.1 / Windows® 10 / Windows® 11 / Windows® Server 2012 / Windows® Server 2012 R2 / Windows® Server 2016 / Windows® Server 2019 / Windows® Server 2022

Copy

Copy Speed	1-sided: Up to 24 pages/min (A4), Up to 12 pages/min (A3), Up to 11 pages/min (A4R) 2-sided: Up to 16.7 pages/min (A4), Up to 7.5pages/min (A3), Up to 7.8 pages/min (A4R)
First-Copy-Out Time (BW)	Platen: Approx. 7.4 seconds or less (A4)
Copy Resolution (dpi)	600 x 600
Multiple Copies	Up to 999 copies
Copy Density	Automatic or Manual (9 Levels)
Magnification	25% - 400% (1% Increments) Preset reduction/enlargement: 25%, 50%, 70%, 100%, 141%, 200%, 400%

Scan

Document Feeder Paper Capacity	50 Sheets (80 g/m2 (gsm))
Acceptable Originals and Weights	Platen: Sheet, Book Document Feeder sheet media weight: 1-sided/2-sided continuous scanning: 52 to 105 g/m2 (gsm) (BW/CL) Only 1-sheet feeding is supported in 37-52 and 105-128 g/m2 (gsm)

Supported Media Sizes	Platen: Max. scanning size: 297.0 x 431.8 mm Document Feeder media size: A3, A4, A4R, A5, A5R, B4, B5, B5R Custom size: 128.0 x 148.0 mm to 297.0 x 431.8 mm
Scan Speed (ipm: BW/CL, A4)	DADF: 1-sided Scanning: 35/25 (300 dpi, send), 25 (600 dpi, copy) 2-sided Scanning: 12/8 (300 dpi, send), 8 (600 dpi, copy)
Scan Resolution (dpi)	Scan for Copy: up to 600 x 600 Scan for Send: (Push) up to 300 x 600, (Pull) up to 600 x 600
Pull Scan Specifications	ScanGear MF For both TWAIN and WIA Windows® 8.1/ Windows® 10/ Windows® 11 macOS (10.12 or later)